



MEDISCA® NETWORK INC.  
TECHNICAL SUPPORT SERVICES  
FORMULATION CHEMISTRY DEPARTMENT  
TOLL-FREE: 866-333-7811  
TELEPHONE: 514-905-5096  
FAX: 514-905-5097  
[technicalservices@medisca.net](mailto:technicalservices@medisca.net)

4/14/2020; Page 1

Suggested Formula	Isopropyl Alcohol Antiseptic 75% Topical Solution (Solution, 100 mL)	FIN	F 008 672
-------------------	--	-----	-----------

### SUGGESTED FORMULATION

Ingredient Listing	Qty.	Unit	NDC #	Supplier	Lot Number	Expiry Date
Isopropyl Alcohol (Alcohol 99%), USP	75.76	mL				
Glycerin, USP	1.45	mL				
Hydrogen Peroxide Concentrate (30% w/w), USP*	0.42	mL				
Purified Water, USP	q.s. to 100.0	mL				

\*Hydrogen Peroxide Topical Solution (3% w/w), USP could be used and will be equivalent to 4.17 mL.





Suggested Formula	Isopropyl Alcohol Antiseptic 75% Topical Solution (Solution, 100 mL)	FIN	F 008 672
-------------------	--	-----	-----------

## SPECIAL PREPARATORY CONSIDERATIONS

### Ingredient-Specific Information

<i>Light Sensitive</i> (protect from light whenever possible):	<i>Hydrogen Peroxide Concentrate</i>
<i>Hygroscopic</i> (protect from moisture whenever possible):	<i>Glycerin</i>
<i>Heat Sensitive</i> (protect from heat whenever possible):	<i>Isopropyl Alcohol, Hydrogen Peroxide Concentrate</i>
<i>Flammable</i> (Keep away from heat and flame)	<i>Isopropyl Alcohol</i>

### Suggested Preparatory Guidelines

Non-Sterile Preparation       Sterile Preparation

Processing Error / Testing Considerations: To account for processing error considerations during preparation, it is suggested to measure an additional **5 to 9%** of the required quantities of ingredients.

Special Instruction: This formula may contain one or more Active Pharmaceutical Ingredients (APIs) that may be classified as hazardous, please refer & verify the current NIOSH list of Antineoplastic and Other Hazardous Drugs in Healthcare Settings. At this time, **General Chapter <800> Hazardous Drugs – Handling in Healthcare Settings** is informational and not compendially applicable unless otherwise specified by regulators and enforcement bodies. For information on the scope, intended applicability, and implementation context for USP General Chapter <800>, see: <https://www.usp.org/compounding/general-chapter-hazardous-drugs-handling-healthcare>.

This formula must be prepared within the appropriate facilities under adequate environmental conditions, following the necessary guidelines and procedures as stated within *USP 795* and *USP 800*, when handling hazardous drugs. Only trained and qualified personnel must prepare this formula.

All required personal protective equipment (hazardous if applicable), such as but not limited to, lab coat, protective sleeves, gloves both inner and outer if applicable, dedicated shoe covers, hairnet, beard cover, eyewear, appropriate face mask, respirator and face shield, etc., where applicable must be worn at all times.

If applicable, follow all required procedures for hazardous drug handling including but not limited to procurement, transport, storage, preparation, dispensing, administration, clean up (spills) & disposal.

If you are a registered 503B facility, please refer to all relevant guidance documents including but not limited to the Code of Federal Regulations (CFR), Guidance for Industry (GFI) and Compliance Policy Guides (CPGs).

This procedure requires the use of very small quantities of ingredients. All calculations and preparation techniques must be verified before dispensing the final product.



Suggested Formula	Isopropyl Alcohol Antiseptic 75% Topical Solution (Solution, 100 mL)	FIN	F 008 672
-------------------	--	-----	-----------

### SUGGESTED PREPARATION (for 100 mL)

Weigh and / or measure the following ingredients when appropriate:

Ingredient Listing	Qty.	Unit	Multiplication factor (*): _____	Processing Error	Qty. to measure
Isopropyl Alcohol (Alcohol 99%), USP	75.76	mL			
Glycerin, USP	1.45	mL			
Hydrogen Peroxide Concentrate (30% w/w), USP	0.42	mL			
Purified Water, USP	q.s. to 100.0	mL			

§ Weigh / measure just prior to use.

\* Takes into account increased batch size conversions and density conversions, if required.

### Preparatory Instruction

1.	<p><b><u>Medium preparation:</u></b></p> <p>A. In the given order, sequentially add the following ingredients to the Isopropyl Alcohol (Alcohol 99%):</p> <ul style="list-style-type: none"><li>-Glycerin</li><li>-Hydrogen Peroxide Concentrate (30% w/w)</li></ul> <p><b><u>Specifications:</u></b> Continuously mix.</p> <p><b><u>End result:</u></b> Homogeneous liquid-like solution.</p> <p><b><u>Note:</u></b> Add the next ingredient, once the previous one has been completely added and dissolved.</p>
2.	<p><b><u>Filling to Volume:</u></b></p> <p>A. Add Purified Water to the homogeneous liquid-like solution (Step 1A) to fill to the required batch size (100.0 mL <i>plus</i> processing error adjustments).</p> <p><b><u>Specifications:</u></b> Continuously mix.</p> <p><b><u>End result:</u></b> Homogeneous liquid-like solution.</p>
3.	<p><b><u>Product transfer:</u></b></p> <p>Transfer the final product into the specified dispensing container (see “Packaging Requirements”).</p>



Suggested Formula	Isopropyl Alcohol Antiseptic 75% Topical Solution (Solution, 100 mL)	FIN	F 008 672
-------------------	--	-----	-----------

**SUGGESTED PRESENTATION**

Estimated Beyond-Use Date	30 days, as per USP.	Packaging Requirements	- Tightly closed, light-resistant container. - To be administered with a metered-dose measuring device.	
Auxiliary Labels	1	Use as directed. Do not exceed prescribed dose.	5	Protect from light.
	2	Keep out of reach of children.	6	Cap tightly after use.
	3	Consult your health care practitioner if any other prescription or over-the-counter medications are currently being used or are prescribed for future use.	7	For external use only.
	4	Keep at controlled room temperature (20°C – 25°C).	8	<b>If swallowed, get medical help or contact a Poison Control Center right away.</b>
Pharmacist Instructions	<p><b>IMPORTANT: Non-sterile preparation, do not use in the presence of an open wound.</b></p> <p><b>Please verify with your local, state, federal or provincial regulations on the labeling requirements and appropriateness of compounding this formula.</b></p> <p>Add any auxiliary labels specific to the API to the dispensing container as deemed necessary.</p>			
Patient Instructions	<p>Contact your pharmacist in the event of adverse reactions.</p> <p><b>IMPORTANT: The quantity of API administered is directly dependent on the quantity of product applied.</b></p>			



Suggested Formula	Isopropyl Alcohol Antiseptic 75% Topical Solution (Solution, 100 mL)	FIN	F 008 672
-------------------	--	-----	-----------

## REFERENCES

1.	Solutions. In: Allen, LV, Jr. <i>The Art, Science, and Technology of Pharmaceutical Compounding Fifth Edition</i> . American Pharmacists Association; 2016: 263.
2.	Isopropyl Alcohol. In: Sheskey, P.J., ed. <i>Handbook of Pharmaceutical Excipients, 8<sup>th</sup> Edition</i> . Pharmaceutical Press and American Pharmacists Association; 2017: 491.
3.	Glycerin. In: Sheskey, P.J., ed. <i>Handbook of Pharmaceutical Excipients, 8<sup>th</sup> Edition</i> . Pharmaceutical Press and American Pharmacists Association; 2017: 401.
4.	Hydrogen Peroxide. In: Sheskey, P.J., ed. <i>Handbook of Pharmaceutical Excipients, 8<sup>th</sup> Edition</i> . Pharmaceutical Press and American Pharmacists Association; 2017: 402.
5.	Isopropyl Alcohol. In: Brayfield, A., ed. <i>Martindale: The Complete Drug Reference, 38<sup>th</sup> Edition</i> . London, England: The Pharmaceutical Press; 2014: 1758.
6.	Isopropyl Alcohol (Monograph). In: O'Neil MJ. <i>The Merck Index 15<sup>th</sup> Edition</i> . Whitehouse Station, NJ: Merck & Co, Inc.; 2013: Monograph #5254.
7.	Isopropyl Alcohol (Monograph). <i>United States Pharmacopeia XLII / National Formulary 37</i> . Rockville, MD. US Pharmacopeial Convention, Inc. 2019: 2383.
8.	Hydrogen Peroxide Concentrate (Monograph). <i>United States Pharmacopeia XLII / National Formulary 37</i> . Rockville, MD. US Pharmacopeial Convention, Inc. 2019: 2199.
9.	USP <795>. <i>United States Pharmacopeia XLII / National Formulary 37</i> . Rockville, MD. US Pharmacopeial Convention, Inc. 2019: 6951.

**DISCLAIMER: THIS DOCUMENT IS COPYRIGHT© 2020 MEDISCA PHARMACEUTIQUE INC. MEDISCA NETWORK INC., HEREBY REFERRED TO AS 'THE NETWORK', HAS PROVIDED THE FORMULA AND INSTRUCTIONS ABOVE AS A MODEL FOR EDUCATIONAL PURPOSES ONLY ON THE BASIS OF THE RECOGNIZED COMPENDIA AND TEXTS REFERENCED AT THE END OF THIS DOCUMENT. THE NETWORK TAKES NO RESPONSIBILITY FOR THE VALIDITY, SCHEDULING OR ACCURACY OF THIS INFORMATION OR FOR ITS SAFETY OR EFFECTIVENESS, NOR FOR ANY USE THEREOF, WHICH IS AT THE SOLE RISK OF THE LICENSED PHARMACIST OR OTHER APPROPRIATELY STATE LICENSED PROFESSIONAL. ADJUSTMENTS MAY BE NEEDED TO MEET SPECIFIC PATIENT NEEDS AND IN ACCORDANCE WITH A LICENSED PRESCRIBER'S PRESCRIPTION. THE PHARMACIST OR OTHER APPROPRIATELY STATE LICENSED PROFESSIONAL MUST EMPLOY APPROPRIATE TESTS TO DETERMINE THE STABILITY OF THIS SUGGESTED FORMULA. THE NETWORK CANNOT BE HELD LIABLE TO ANY PERSON OR ENTITY CONCERNING CLAIMS, LOSS, OR DAMAGE CAUSED BY, OR ALLEGED TO BE CAUSED BY, DIRECTLY OR INDIRECTLY, THE USE OR MISUSE OF THE INFORMATION CONTAINED IN THIS SUGGESTED FORMULA. IN ALL CASES IT IS THE RESPONSIBILITY OF THE LICENSED PHARMACIST OR OTHER APPROPRIATELY STATE LICENSED PROFESSIONAL TO KNOW THE LAW, TO COMPOUND ANY FINISHED PRODUCT AND TO DISPENSE THESE PRODUCTS IN ACCORDANCE WITH FEDERAL AND STATE LAW. MEDISCA NETWORK INC. MAKES NO WARRANTIES WITH RESPECT TO INFRINGEMENT OR NON-INFRINGEMENT BY THE FORMULA OF ANY PATENT OR OTHER INTELLECTUAL PROPERTY OF ANY OTHER PARTY, AND IT IS THE RESPONSIBILITY OF THE PHARMACIST OR OTHER APPROPRIATELY STATE LICENSED PROFESSIONAL TO INVESTIGATE AND DETERMINE ANY SUCH ISSUE.**